

Export price list Tarifa nacional

20
25

FEBRUARY 1st

Recommended price list without VAT.

* This price list supersedes previous ones and includes new models and technical modifications.

1 FEBRERO

Precios recomendados venta público sin IVA.

* Esta tarifa anula las anteriores e incluye nuevos modelos y modificaciones técnicas.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida sin difusor

www.estiluz.com

estiluz[®]

ALPHABETIC INDEX / ÍNDICE ALFABÉTICO

A		M	
Alfi	04	Maine	43
Arco	06	Mood	44
Aro	08	Morse	48
Asana	09		
B		N	
Balloon	09	Nit	49
Belt	10		
Bols	18	O	
Button	20	Obs	49
C		P	
Canut	21	Piu	49
Circ	21	Pluma	49
Compass	28	R	
Cupolina	32	Revolta	49
Cyls	33	S	
E		Shapes	54
Eclipsi	35	T	
F		Tik	55
Flow	36	V	
Frame	38	Volta	57
G			
Gada	39	Drivers, Replacements and Canopies	64
I		General terms of sale	71
Icons	40		
L			
Laverd	41		
Loop	42		
Lune	43		

FINISHES / ACABADOS

20 GLD M	Gold matt / Oro mate
26 BLK	Black matt, RAL 9005 / Negro mate, RAL 9005
37 NI	Brushed nickel / Níquel
44 CP	Satin copper / Cobre satinado
45 CP M	Copper matt lacquer / Lacado Cobre mate
47 NI M	Nickel matt / Níquel mate
55 BG	Beige, RAL 1019 / Beige, RAL 1019
56 BLK	Black matt / Negro mate
59 TC	Terracotta NCS S 4030-Y80R / Terracota NCS S 4030-Y80R
61 S GLD	24 carat satin gold / Oro 24 q. Satinado
71 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
74 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
78 OX RD	Oxide Red, RAL 3009 / Rojo óxido, RAL 3009
80 RT	Rust / Óxido
87 AL F	Almond Frost NCS S 5010-Y90R / Almendra NCS S 5010-Y90R
88 GR ST	Grey Stone, RAL 7039 / Piedra gris, RAL 7039
89 PL GRN	Pale Green, RAL 7033 / Verde pálido, RAL 7033
91 ND	Nude NCS S 0804-Y90R / Rosa pálido NCS S 5010-Y90R
92 MNK	Mink / Visón
93 GR LM	Grey-limestone, RAL 7013 / Gris pardo, RAL 7013
94 CHMP	Champagne RAL 1035 / Champán RAL 1035
96 ANT	Anthracite RAL 7021 / Antracita RAL 7021
XX	Code according to colour / Código según color

SHADES / PANTALLAS

26 BLK	Black screen / Screen negro
27 WH	White screen / Screen blanco
50 MM	Marble textured vinyl / Vinilo texturizado Mármol
51 CT	Concrete textured vinyl / Vinilo texturizado Hormigón
52 WD	Wood textured vinyl / Vinilo texturizado Madera
64 BLK L	Black acrylic, glossy / Metacrilato negro brillante



ACCESSORIES / ACCESORIOS

00 PLAIN	Incoloro / Colourless
23 GR F	Grey fumé / Gris fumé
26 BLK	Black matt, RAL 9005 / Negro mate, RAL 9005
55 BG	Beige, RAL 1019 / Beige, RAL 1019
65 BR F	Bronze fumé / Bronce fumé
74 WH	White satin, RAL 9002 / Blanco sat., RAL 9002
82 BL	Blue / Azul
83 EGP	Eggplant / Berenjena
84 SLM	Salmon / Salmón
97 GR	Light grey / Gris claro

ABBREVIATIONS / ABREVIATURAS

A	Wall light / Aplique
M	Table lamp / Lámpara de sobremesa
P	Floor lamp / Lámpara de pie
p	Reading lamp / Pie de lectura
T	Suspension lamp / Suspensión
t	Ceiling light / Plafón

SYMBOLS / SÍMBOLOS


*	Bulbs included / Bombillas incluidas
	Dimmer on the lamp / Regulador integrado
	Secondary bulb / Bombilla secundaria

We can customize our products in any ESTILUZ finish. Check availability.

Podemos personalizar nuestros productos en cualquier acabado ESTILUZ. Compruebe la disponibilidad

ALFI

ALF_3740S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M


EURO €

217
223

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 plain glass shade 113741000

ALF_3740R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS


26 BLK
20 GLD M

EURO €

232
239


Product includes:

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000073 / Non dimmable
- 1 plain glass shade 113741000

 Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

ALFI

ALF_3740AS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M


EURO €

255
268

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 glass shade with cap 113741XX0

ALF_3740AR - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS


26 BLK
20 GLD M

EURO €

270
284


Product includes:

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap 113741XX0

 Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

ALFI

ALF_3740A1S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M


EURO €

255
268

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 glass shade with cap at 45° 113741XX1

ALF_3740A1R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS


26 BLK
20 GLD M

EURO €

270
284


Product includes:

- 1 unit of A-3740
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap at 45° 113741XX1

 Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

ALFI

ALF_3741R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

381
393

Product includes:


- 1 unit of A-3741
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap at 45° 113741XX1

Ø40 mm drill on dry wall
Orificio Ø40 mm en pared de pladur

Minimum order 13 units
Pedido mínimo 13 unidades

ALFI

ALF_3744S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

340
351

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 plain glass shade 113741000

ALF_3744R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

339
348


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Non dimmable
- 1 plain glass shade 113741000

Ø60 mm drill on dropped ceiling
Orificio Ø60mm en falso techo

ALFI

ALF_3744AS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

378
396

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 glass shade with cap 113741XX0

ALF_3744AR - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Remote driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

377
393


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Non dimmable
- 1 glass shade with cap 113741XX0

Ø60 mm drill on dropped ceiling
Orificio Ø60mm en falso techo

ALFI

ALF_L92S4 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x3W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 4x300 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €


1262
1294

Product includes:

- 1 single canopy 113415XX3
- 4 units of T-3744 with textile cable
- 1 driver 671000090 / Dimmable Triac
- 4 plain glass shades 113741000

ALFI

ALF_R40S3A - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x3W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x300 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €


1498
1543

Product includes:

- 1 single canopy 113415XX6
- 3 units of T-3744 with textile cable
- 1 driver 671000090 / Dimmable Triac
- 3 glass shades with cap 113741XX0

ARCO

ARC_4000X



IP
65

FEATURES / CARACTERÍSTICAS

* LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANT

EURO €

641


Product includes:

- 1 unit of A-4000X
- 1 remote driver 671000090 / Dimmable Triac

Direct light:



Indirect light:




114002960

Surface mounted canopy with IP/65 junction box. Fits driver.
Florón de superficie con caja de conexiones IP/65. Driver en el interior.

EURO €

139



ARC_4000X2

* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANT




EURO €

1271

Product includes:

- 2 units of A-4000X
- 1 union Kit for two Arco 124002963
- 1 remote driver 671000090 / Dimmable Triac

Possible shapes:



ARCO

ARC_4002X

IP
65

FEATURES / CARACTERÍSTICAS


* LED 12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

96 ANT


EURO €

553



Product includes:

- 1 unit of T-4002X
- 1 remote driver 671000090 / Dimmable Triac






114002960


Surface mounted canopy with IP/65 junction box. Fits driver.
Florón de superficie con caja de conexiones IP/65 Driver en el interior.

EURO €



139



Three recommended installations for optimal design (1150 mm, 950mm, 750mm)



Possible shapes:



ARC_4002X2

FEATURES / CARACTERÍSTICAS

* LED 2x12W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 2x 1092 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS


96 ANT

EURO €


1095

Product includes:

- 2 units of T-4002X
- 1 union Kit for two Arco 124002963
- 1 remote driver 671000090 / Dimmable Triac



ARO **ARO_3541S - WITH SURFACE CANOPY**




FEATURES / CARACTERÍSTICAS
 * LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 74WH
 Body: 56 BLK

EURO €
 1282

Product includes:
 • 1 surface canopy 113925XX2
 • 1 unit of T-3541
 • 1 driver 671000090 / Dimmable Triac

ARO_3541R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
 Remote driver included / Dimmable Triac


FINISHES / ACABADOS
 Canopy: 26 BLK - 71WH
 Body: 56 BLK

EURO €
 1282

Product includes:
 • 1 recessed canopy 113534XX2
 • 1 unit of T-3541
 • 1 remote driver 671000090 / Dimmable Triac

 \varnothing 60mm drill on dropped ceiling
 Orificio \varnothing 60mm en falso techo

ARO **ARO_3542S - WITH SURFACE CANOPY**



FEATURES / CARACTERÍSTICAS
 * LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)
 100V - 277V / Typ 5x1106 lumens
 Driver included / Dimmable 0-10V

FINISHES / ACABADOS
 56 BLK


EURO €
 2464

Product includes:
 • 1 round canopy 113542263
 • 1 unit of T-3542


123815262 Vegetation kit
 Vegetation kit with artificial greenery included. Not waterproof.
 Maximum 30kg

FINISHES / ACABADOS
 26 BLK

EURO €
 2046



ARO **ARO_3543S - WITH SURFACE CANOPY**



FEATURES / CARACTERÍSTICAS
 * LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)
 100V - 277V / Typ 7x1106 lumens
 Driver included / Dimmable 0-10V

FINISHES / ACABADOS
 56 BLK


EURO €
 3168

Product includes:
 • 1 round canopy 113542263
 • 1 unit of T-3543


123815262 Vegetation kit
 Vegetation kit with artificial greenery included. Not waterproof.
 Maximum 30kg

FINISHES / ACABADOS
 26 BLK

EURO €
 2046



ARO **ARO_R40S1M1L - WITH SURFACE CANOPY**




Composition includes:
 • 1 round canopy 113542263
 • 1 unit of T-3542
 • 1 unit of T-3543
 • 2 drivers / Dimmable 0-10V

FINISHES / ACABADOS
 56 BLK

EURO €
 5232



ASANA

ASA_3769



Ø 150 mm
Ø 5.7/8"

Ø 800 mm
Ø 31.1/2"



FEATURES / CARACTERÍSTICAS

* LED 2x5,35W [2700K / Ang. 120° / >80 CRI
24V] / 100V - 240V / Universal plug
Typ 2x535 lumens / Touch dimmer

Product includes:

- 1 unit of P-3769
- 1 stem 113768XX0

FINISHES / ACABADOS

Body: 92 MNK
Stem: 61 S GLD
93 GR LM


EURO €

1032
1009

Available until end of stock
Disponible hasta agotar existencias

TABLE KIT

123768922



FINISHES / ACABADOS


92 MNK

EURO €

134

LECTERN KIT

123768923



FINISHES / ACABADOS

92 MNK

EURO €


107

BALLOON

BAL_3050

Ø 260 mm
Ø 10.1/4"

Ø 255 mm
Ø 10.1/8"



344 mm
13.1/2"



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V
On/Off Switch

FINISHES / ACABADOS

74 WH

EURO €

263

BAL_3050L

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V

FINISHES / ACABADOS

74 WH

EURO €


323

⊕* LED 0,5W / E14 / 120V - 240V
Nightlight / 3-way switch

BALLOON

BAL_3052

Ø 260 mm
Ø 10.1/4"



835 mm
32.7/8"

FEATURES / CARACTERÍSTICAS

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS


74 WH

EURO €

260

BALLOON

BAL_3055S - WITH SURFACE CANOPY



Ø 116 mm
Ø 4.5/8"

FEATURES / CARACTERÍSTICAS

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS

74 WH

EURO €


332

Product includes:

- 1 single canopy 113416710
- 1 unit of T-3055C with textile cable
- 1 ceiling holder

BELT

BEL_4144S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 120° / >90 CRI 350mA)
 230V / Driver included / Dimmable Triac

BEL_4144S-W (2700 Typ 725 lumens)
 BEL_4144S-M (3000 Typ 763 lumens)

FINISHES / ACABADOS	EURO €
89 PL GRN	276
94 CHMP	279
96 ANT	272

- Product includes:**
- 1 surface canopy 114125XX0
 - 1 unit of T-4144 with textile cable
 - 1 driver / Dimmable Triac

BEL_4144R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 120° / >90 CRI 350mA)
 230V / Remote driver included
 Dimmable Triac


BEL_4144R-W (2700 Typ 725 lumens)
 BEL_4144R-M (3000 Typ 763 lumens)

FINISHES / ACABADOS	EURO €
Canopy: 71WH	
Body: 89 PL GRN	259
94 CHMP	261
96 ANT	256

- Product includes:**
- 1 recessed white canopy 113534712
 - 1 unit of T-4144 with textile cable
 - 1 remote driver / Dimmable Triac

 Ø 45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo

BEL_4144SG - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 120° / >90 CRI 350mA)
 230V / Driver included / Dimmable Triac

BEL_4144S-W (2700 Typ 725 lumens)
 BEL_4144S -M (3000 Typ 763 lumens)

FINISHES / ACABADOS	EURO €
89 PL GRN	359
94 CHMP	362
96 ANT	355

- Product includes:**
- 1 surface canopy 114125XX0
 - 1 unit of T-4144 with textile cable
 - 1 glass shade + lens diffuser 114144000
 - 1 driver / Dimmable Triac

BEL_4144RG - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 120° / >90 CRI 350mA)
 230V / Remote driver included
 Dimmable Triac

BEL_4144R-W (2700 Typ 725 lumens)
 BEL_4144R-M (3000 Typ 763 lumens)


FINISHES / ACABADOS	EURO €
Canopy: 71WH	
Body: 89 PL GRN	342
94 CHMP	344
96 ANT	339

- Product includes:**
- 1 recessed white canopy 113534712
 - 1 unit of T-4144 with textile cable
 - 1 glass shade + lens diffuser 114144000
 - 1 remote driver / Dimmable Triac

 Ø 45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo

BELT

BEL_4145SS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:

- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 250mm) 114145XX1
- 1 driver / Dimmable Triac


FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

338
344
333

BEL_4145RS - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed white canopy 113534712
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 250mm) 114145XX1
- 1 remote driver / Dimmable Triac

FINISHES / ACABADOS


Canopy: 71WH
Body: 89 PL GRN
94 CHMP
96 ANT

EURO €


321
326
317

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes without glass shade:



BEL_4145SSG - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:

- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 250mm) 114145XX1
- 1 glass shade + lens diffuser 114144000
- 1 driver / Dimmable Triac


FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

421
427
416

BEL_4145RSG - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed white canopy 113534712
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 250mm) 114145XX1
- 1 glass shade + lens diffuser 114144000
- 1 remote driver / Dimmable Triac

FINISHES / ACABADOS


Canopy: 71WH
Body: 89 PL GRN
94 CHMP
96 ANT

EURO €

404
409
400


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes with glass shade:



BELT

BEL_4145SM - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:


- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 350mm) 114145XX2
- 1 driver / Dimmable Triac

FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

353
359
347



BEL_4145RM - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 350mm) 114145XX2
- 1 remote driver / Dimmable Triac

FINISHES / ACABADOS



Canopy: 71WH
89 PL GRN
94 CHMP
96 ANT

EURO €

341
331
336

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes without glass shade:



BEL_4145SMG - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:


- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 350mm) 114145XX2
- 1 glass shade + lens diffuser 114144000
- 1 driver / Dimmable Triac

FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

436
442
430



BEL_4145RMG - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4144 with textile cable
- 1 metal shade (Ø 350mm) 114145XX2
- 1 glass shade + lens diffuser 114144000
- 1 remote driver / Dimmable Triac

FINISHES / ACABADOS


Canopy: 71WH
89 PL GRN
94 CHMP
96 ANT

EURO €

419
424
414


Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

Possible shapes with glass shade:



BELT

BEL_4145SL - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:


- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (\varnothing 450mm) 114145XX3
- 1 driver / Dimmable Triac

FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

369
376
363



BEL_4145RL - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4144 with textile cable
- 1 metal shade (\varnothing 450mm) 114145XX3
- 1 remote driver / Dimmable Triac

FINISHES / ACABADOS

Canopy: 71WH
89 PL GRN
94 CHMP
96 ANT



EURO €

352
358
347

\varnothing 45mm drill on dropped ceiling
Orificio \varnothing 45mm en falso techo



Possible shapes without glass shade:



BEL_4145SLG - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Driver included / Dimmable Triac

BEL_4145S-W (2700 Typ 725 lumens)
BEL_4145S-M (3000 Typ 763 lumens)

Product includes:


- 1 surface canopy 114125XX0
- 1 unit of T-4144 with textile cable
- 1 metal shade (\varnothing 450mm) 114145XX3
- 1 glass shade + lens diffuser 114144000
- 1 driver / Dimmable Triac

FINISHES / ACABADOS

89 PL GRN
94 CHMP
96 ANT

EURO €

452
459
446



BEL_4145RLG - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Remote driver included
Dimmable Triac

BEL_4145R-W (2700 Typ 725 lumens)
BEL_4145R-M (3000 Typ 763 lumens)

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4144 with textile cable
- 1 metal shade (\varnothing 450mm) 114145XX3
- 1 glass shade + lens diffuser 114144000
- 1 remote driver / Dimmable Triac


FINISHES / ACABADOS

Canopy: 71WH
89 PL GRN
94 CHMP
96 ANT

\varnothing 45mm drill on dropped ceiling
Orificio \varnothing 45mm en falso techo




Possible shapes with glass shade:



BELT

BEL_L73S3SG - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX1
- 3 units of T-4144 with textile cable
- 3 metal shades (Ø 250mm) 114145XX1
- 3 glass shades + lens diffusers 114144000
- 3 remote drivers / Dimmable Triac

FINISHES / ACABADOS


- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 1329
- 1363
- 1274

BELT

BEL_L73S2MG - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX1
- 2 units of T-4144 with textile cable
- 2 metal shades (Ø 350mm) 114145XX2
- 2 glass shades + lens diffusers 114144000
- 2 remote drivers / Dimmable Triac


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €


- 1001
- 1030
- 948

Possible compositions shapes:



BELT

BEL_L92S3MG - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX3
- 3 units of T-4144 with textile cable
- 3 metal shades (Ø 350mm) 114145XX2
- 3 glass shades + lens diffusers 114144000
- 3 remote drivers / Dimmable Triac

FINISHES / ACABADOS


- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 1374
- 1408
- 1316

BELT

BEL_L165S3LG - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX7
- 3 units of T-4144 with textile cable
- 3 metal shades (Ø 450mm) 114145XX3
- 3 glass shades + lens diffusers 114144000
- 3 remote drivers / Dimmable Triac


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €


- 1551
- 1598
- 1472

Possible compositions shapes:



BELT

BEL_R40S3G - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-4144 with textile cable
- 3 glass shades + lens diffusers 114144000
- 3 remote drivers / Dimmable Triac

FINISHES / ACABADOS


- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 1564
- 1620
- 1442

BELT

BEL_R40S2SG1MG - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-4144 with textile cable
- 2 metal shades (Ø 250mm) 114145XX1
- 1 metal shade (Ø 350mm) 114145XX2
- 3 glass shades + lens diffusers 114144000
- 3 remote drivers / Dimmable Triac


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €


- 1765
- 1830
- 1639

Possible compositions shapes:



BELT

BEL_R70S1M2MG1L2LG - WITH SURFACE CANOPY



Composition includes:


- 1 round canopy 113415XX4
- 6 units of T-4144 with textile cable
- 3 metal shades (Ø 350mm) 114145XX2
- 3 metal shades (Ø 450mm) 114145XX3
- 4 glass shades + lens diffusers 114144000
- 6 remote drivers / Dimmable Triac

FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT


EURO €

- 3061
- 3144
- 2884



BELT

BEL_4148



FEATURES / CARACTERÍSTICAS

- * LED 6,2W (Ang. 120° / >90 CRI 350mA)
- 230V / Push button dimmer on the head

FINISHES / ACABADOS


- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 619
- 635
- 606

Upon request:

- [3000K / Typ 763 lumens]
- Check lead time + extra cost



BEL_4148G

FEATURES / CARACTERÍSTICAS

- * LED 6,2W (Ang. 120° / >90 CRI 350mA)
- 230V / Push button dimmer on the head

FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 702
- 718
- 689

Product includes:


- 1 unit of P-4148
- 1 glass shade + lens diffuser 114144000

Upon request:

- [3000K / Typ 763 lumens]
- Check lead time + extra cost

BELT

BEL_4149M



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Push button dimmer on the head

Product includes:

- 1 unit of P-4148
- 1 metal shade (Ø 350mm) 114145XX2

Uppon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 696
- 715
- 681

Possible shapes without glass shade:



BEL_4149MG

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Push button dimmer on the head

Product includes:

- 1 unit of P-4148
- 1 metal shade (Ø 350mm) 114145XX2
- 1 glass shade + lens diffuser 114144000

Uppon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €


- 779
- 798
- 764

Possible shapes with glass shade:



BELT

BEL_4149L



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Push button dimmer on the head

Product includes:

- 1 unit of P-4148
- 1 metal shade (Ø 450mm) 114145XX3

Uppon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost


FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €

- 712
- 732
- 697

Possible shapes without glass shade:



BEL_4149LG

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 120° / >90 CRI 350mA)
230V / Push button dimmer on the head

Product includes:

- 1 unit of P-4148
- 1 metal shade (Ø 450mm) 114145XX3
- 1 glass shade + lens diffuser 114144000

Uppon request:

(3000K / Typ 763 lumens)
Check lead time + extra cost

FINISHES / ACABADOS

- 89 PL GRN
- 94 CHMP
- 96 ANT

EURO €


- 795
- 815
- 780

Possible shapes with glass shade:



BOLS

BOL_4022X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 78 OX RED

EURO €
 943

BOLS

BOL_4023X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 55 BG

EURO €
 1040

BOLS

BOL_4024X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 78 OX RED

EURO €
 1047

BOLS

BOL_4025X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 55 BG
 96 ANT

EURO €
 1146
 1146

BOLS

BOL_4027X - OUTDOOR

IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 96 ANT

EURO €
 1080

TABLE KIT

124027962
 Polypropylene flower
 pot + metal table top
 Maximum 3kg



FINISHES / ACABADOS
 96 ANT

EURO €
 87

FLOWER POT KIT

124027963
 Polypropylene flower pot
 for natural vegetation
 Maximum 5,5kg




FINISHES / ACABADOS
 96 ANT

EURO €
 47

VEGETATION KIT

124027967
 Artificial greenery




FINISHES / ACABADOS
 96 ANT

EURO €
 596

**BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO**

124027966
 Metal base




FINISHES / ACABADOS
 96 ANT

EURO €
 100

BOLS

BOL_4028X - OUTDOOR

IP
65


FEATURES / CARACTERÍSTICAS
 * LED 10W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 870 lumens
 Dimmable Triac

FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 1003
 1003

TABLE KIT

124028XX2
 Polypropylene flower
 pot + metal table top
 Maximum 5kg




FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 112
 112

FLOWER POT SET

Ø160mm
 124028XX4
 Includes 3 flower pots + tray




FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 60
 60

FLOWER POT SET

Ø180mm
 124028XX5
 Includes 3 flower pots + tray




FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 64
 64

VEGETATION KIT

124028XX7
 Artificial greenery




FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 822
 822

**BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO**

124027XX6
 Metal base




FINISHES / ACABADOS
 78 OX RED
 96 ANT

EURO €
 100
 100

BUTTON

BUT_3302S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 100V - 240V / Typ 1096 lumens
 Driver included / Non dimmable

FINISHES / ACABADOS
 26 BLK
 71 WH
 93 GR LM


EURO €
 447
 447
 469

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000023 / Non Dimmable

Available until end of stock
 Disponible hasta agotar existencias

BUT_3302R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 230V / Typ 1096 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS
 26 BLK
 71 WH
 93 GR LM

EURO €
 418
 418
 436


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo

Available until end of stock
 Disponible hasta agotar existencias

BUT_3302CS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 100V - 240V / Typ 1096 lumens
 Driver included / Non dimmable

FINISHES / ACABADOS
 26 BLK
 71 WH
 93 GR LM


EURO €
 419
 419
 438

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302C with cable
- 1 driver 671000023 / Non Dimmable

Available until end of stock
 Disponible hasta agotar existencias

BUT_3302CR - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 230V / Typ 1096 lumens
 Driver included / Dimmable Triac


FINISHES / ACABADOS
 26 BLK
 71 WH
 93 GR LM

EURO €
 390
 390
 405

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302C with cable
- 1 driver 671000061 / Dimmable Triac

Available until end of stock
 Disponible hasta agotar existencias




REMOTE DRIVER T-3302R / T-3302CR - 671000023
 (Max. 1x10W) / 100V - 240V / Non dimmable

EURO €
 32


REMOTE DRIVER T-3302R / T-3302CR - 671000061
 (Max. 1x10W) / 230V / Dimmable Triac

EURO €
 38

 Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

BUTTON

BUT_L92S3 - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX3
- 3 units of T-3302C with cable
- 3 drivers 671000061 / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71WH
 Body: 26 BLK
 71 WH
 93 GR LM


EURO €
 1252
 1252
 1297

Up to 4 additional BUTTON can be added
 Posibilidad de añadir hasta 4 BUTTON

Available until end of stock
 Disponible hasta agotar existencias

CANUT

CAN_3571



FEATURES / CARACTERÍSTICAS

* LED 3W (3000K / Ang. 50° / >90 CRI
350mA) / 100V - 240V
Typ 350 lumens
Non Dimmable
On/Off switch for reading light (2 circuits)



* LED 1W (3000K / Ang. 120° >80 CRI / 24V)
100V - 240V
Typ 150 lumens
Non Dimmable

FINISHES / ACABADOS

47 NI M
26 BLK
74 WH


EURO €

390
333
333

Chrome swivel on all the finishes
Rótula cromada en todos los acabados

CIRC

CIR_3702

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

Product includes:

- 1 unit of A-3702
- 1 glass shade kit 113702001

FINISHES / ACABADOS


23 GR F
65 BR F

EURO €

406
406

CIRC

CIR_3703

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

Product includes:

- 1 unit of A-3703
- 1 glass shade kit 113702001

FINISHES / ACABADOS

00 PLAIN
23 GR F


EURO €

478
478

Available until end of stock
Disponible hasta agotar existencias

CIRC

CIR_3704

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

Product includes:

- 1 unit of A-3704
- 1 glass shade kit 113702001

FINISHES / ACABADOS


00 PLAIN

EURO €

516

CIRC

CIR_3706

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

Product includes:

- 1 unit of A-3706
- 1 glass shade kit 113702001

FINISHES / ACABADOS

00 PLAIN

EURO €

524

CIR_3706A - WITH MISTING TREATMENT

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

Product includes:

- 1 unit of A-3706A
- 1 glass shade kit 113702001

FINISHES / ACABADOS

00 PLAIN


EURO €

658

Mirror with misting treatment
Espejo con sistema anti vaho

CIRC

CIR_3714S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

507
458

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3714
- 1 driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ

CP CIR_3714R - WITH RECESSED CANOPY

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3714
- 1 remote driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

480
431

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_3715S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

704
611

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3715
- 1 driver 671000091 / Dimmable Triac
- 1 union piece for 2 Circ

CP CIR_3715R - WITH RECESSED CANOPY

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3715
- 1 remote driver 671000091 / Dimmable Triac
- 1 union piece for 2 Circ

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

677
584

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_3716S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

1079
886

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3716
- 1 driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ

CIR_3716R - WITH RECESSED CANOPY

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3716
- 1 remote driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ


FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK

EURO €

1052
859

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC**CIR_3720 - INDOOR****FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

318
279

CIR_3720B - BATHROOM

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

336
296

CIR_3720X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS

80 RT
26 BLK

EURO €

318
300

Signage - IN & OUT



Optional laser-cut signage
Minimum order 10 units
Señalización opcional con láser
Pedido mínimo 10 unidades

FINISHES / ACABADOS

71 WH

EURO €

37

**CIRC****CIR_3722 - INDOOR****FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

372
340

CIR_3722X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS


* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS

80 RT
26 BLK

EURO €

342
323

CIRC**CIR_3725 - INDOOR****FEATURES / CARACTERÍSTICAS**

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS

26 BLK

EURO €

605

CIR_3725X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS


26 BLK

EURO €

730

CIRC

CIR_3726X - OUTDOOR



FEATURES / CARACTERÍSTICAS
 * LED 2,5W (3000K / Ang. 120° / >80 CRI
 5200mAh) 230V / Typ 290 lumens
 Polyethylene shade

FINISHES / ACABADOS
 Indoor & Outdoor: 26 BLK
 80 RT
 Indoor only: 61 S GLD


EURO €
 292
 312
 304

Product includes:
 • 1 unit of M-3726X
 • 1 charger kit 671000044

Li on battery / Three position dimming / Remote control
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3727X - OUTDOOR



FEATURES / CARACTERÍSTICAS
 * LED 2,5W (3000K / Ang. 120° / >80 CRI
 5200mAh) 230V / Typ 290 lumens
 Polyethylene shade

FINISHES / ACABADOS
 Indoor & Outdoor: 26 BLK
 80 RT
 Indoor only: 61 S GLD


EURO €
 338
 360
 374

Product includes:
 • 1 unit of M-3727X
 • 1 charger kit 671000044

Li on battery / Three position dimming / Remote control
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3728 - INDOOR



FEATURES / CARACTERÍSTICAS
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens
 Glass shade
 On/Off cord switch

FINISHES / ACABADOS
 61 S GLD
 26 BLK

EURO €
 589
 469

DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO
 Push button dimmer on the cord

EURO €
 156

CIR_3728X - OUTDOOR




FEATURES
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens / Dimmable Triac
 Polyethylene shade

FINISHES / ACABADOS
 26 BLK
 80 RT

EURO €
 454
 474

CIRC

CIR_3729 - INDOOR



FEATURES / CARACTERÍSTICAS
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens
 Glass shade
 On/Off cord switch

FINISHES / ACABADOS
 61 S GLD
 26 BLK

EURO €
 702
 535

DIMMABLE UPON REQUEST / REGULABLE BAJO PEDIDO
 Push button dimmer on the cord

EURO €
 156

CIR_3729X - OUTDOOR




FEATURES / CARACTERÍSTICAS
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens / Dimmable Triac
 Polyethylene shade

FINISHES / ACABADOS
 26 BLK
 80 RT

EURO €
 617
 640

CIRC

CIR_3815S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

1332
1527

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3815 + 2 drivers 671000091

CP CIR_3815R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

1221
1416


Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3815 + 2 remote drivers 671000091

50mm drill on dropped ceiling
Orificio 50mm en falso techo

CIRC

CIR_3816S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

2052
2414

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000091 + 1 driver 671000034

CIR_3816R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

1941
2303


Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000091 + 1 driver 671000034

50mm drill on dropped ceiling
Orificio 50mm en falso techo

CIRC

CIR_R30S1SP1MP - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 drivers 671000091
- 1 driver 671000034


FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3185
3742

CIR_R12R1SP1MP - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 remote drivers 671000091
- 1 remote driver 671000034

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

3074
3631

50mm drill on dropped ceiling
Orificio 50mm en falso techo

CIRC

CIR_R30S1MP1VK - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

4098
4460


Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000091
- 1 driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg



800 mm
31.1/2"
1200 mm
47.1/4"

CIR_R12R1MP1VK - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3987
4349

Product includes:


- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000091
- 1 remote driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg



800 mm
31.1/2"
1200 mm
47.1/4"

CIRC

CIR_R30S1S1M - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €


747

Composition includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 driver 671000091



CIR_R12R1S1M - WITH RECESSED CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 2x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Body: 26 BLK

EURO €

636

Composition includes:


- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000091



Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

CIR_R30S2S1M - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 driver 671000034


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

993

CIR_R12R2S1M - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000034

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

882

∅ 50mm drill on dropped ceiling
Orificio ∅ 50mm en falso techo

CIRC

CIR_R30S2S2M - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000091


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

1295

CIR_R12R2S2M - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000091

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

1184

∅ 50mm drill on dropped ceiling
Orificio ∅ 50mm en falso techo

CIRC

CIR_R30S4S2M - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000034


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

1787

CIR_R12R4S2M - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000034

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

1676

∅ 50mm drill on dropped ceiling
Orificio ∅ 50mm en falso techo

CIRC

CIR_3824S



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic Panel: 97 GR

EURO €


1407

Product includes:

- 1 unit of t-3824
- 1 driver 671000034

CIRC

CIR_3825S



FEATURES / CARACTERÍSTICAS

* LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

Product includes:

- 1 unit of t-3825
- 1 driver 671000034
- 1 driver 671000091

FINISHES / ACABADOS


Canopy: 26 BLK
Acoustic Panel:
97 GR

EURO €

1839

CIRC

CIR_R12R4S - WITH RECESSED CANOPY



Composition includes:


- 1 round recessed canopy 113820263
- 4 units of A-3830C
- 2 remote drivers 671000091

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

1246


Ø 50mm drill on dry wall
Orificio Ø 50mm en pared de pladur

CIRC

CIR_R30S6S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 6 units of A-3830C
- 2 drivers 671000034

FINISHES / ACABADOS


Canopy: 26 BLK
Body: 26 BLK

EURO €

1889

CIRC

123815263 - SUSPENSION FLOWER POT KIT



FEATURES / CARACTERÍSTICAS

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES / ACABADOS

26 BLK ANT


EURO €

188

KIT de vegetación para plantas. Plantas no incluidas.
Maceta de polietileno negro antracita.
Resistente al agua / Máximo 1,5kg

COMPASS

COM_4070S



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES / ACABADOS

26 BLK
55 BG
59 TC


EURO €

334
334
334

A-4070-W (2700K Typ 285 lumens)
A-4070-M (3000K Typ 367 lumens)

COMPASS

COM_4071S



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES / ACABADOS
 26 BLK
 55 BG
 59 TC


EURO €
 368
 368
 368

A-4071-W (2700K Typ 285 lumens)
 A-4071-M (3000K Typ 367 lumens)

Product includes:

- 1 single canopy 114074XX0
- 1 unit of A-4071


Bathroom version IP/44 upon request
 Versión para baño IP/44 bajo pedido



Luminarie can be mounted off the center
 Se puede instalar en un punto de luz desplazado

COMPASS

COM_4072S



FEATURES / CARACTERÍSTICAS
 * LED 2x3W (Ang.38° / >90CRI / 350mA)
 100V - 240V
 Driver included / Non Dimmable

FINISHES / ACABADOS
 26 BLK
 55 BG
 59 TC

EURO €
 614
 614
 614


A-4072-W (2700K Typ 2x285 lumens)
 A-4072-M (3000K Typ 2x367 lumens)

Product includes:

- 1 single canopy 114074XX0
- 1 unit of A-4072

COMPASS

COM_4073R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Remote driver / Non Dimmable

FINISHES / ACABADOS
 26 BLK
 55 BG
 59 TC

EURO €
 257
 257
 257

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)


Product includes:

- 1 unit of A-4073
- 1 remote driver 671000073 / Non Dimmable

Ø 60mm drill on dry wall
 Orificio Ø 60mm en pared de pladur

COMPASS

COM_4073S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3W (Ang.38° / >90CRI / 350mA)
 230V / Driver included / Non Dimmable


FINISHES / ACABADOS
 26 BLK
 55 BG
 59 TC

EURO €
 246
 246
 246

A-4073-W (2700K Typ 285 lumens)
 A-4073-M (3000K Typ 367 lumens)

COMPASS

COM_4074S




FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang.38° / >90CRI / 300mA)
 230V / Dimmable Triac

FINISHES / ACABADOS	EURO €
26 BLK	326
55 BG	326
59 TC	326

T-4074-W (2700K Typ 625 lumens)
 T-4074-M (3000K Typ 652 lumens)


- Product includes:**
- 1 single canopy 114074XX0
 - 1 unit of T-4074
 - 1 driver 671000077 / Dimmable Triac



Can be mounted on the wall
 Se puede instalar en la pared


COMPASS

COM_R21S2 - WITH SURFACE CANOPY




- Composition includes:**
- 1 single canopy 114074XX2
 - 2 units of T-4074
 - 1 driver 671000087 / Dimmable Triac

FINISHES / ACABADOS	EURO €
26 BLK	724
55 BG	724
59 TC	724



Scheme parameters / Parámetros esquema:
 Ceiling height / Altura techo = 2500mm
 Table length / Longitud mesa = 1800 - 2000mm
 Table width / Anchura mesa = 900mm

Consult spec sheets for other possible shapes
 Consultar ficha técnica para más formas




COM_R21R2 - WITH RECESSED CANOPY

- With recessed canopy 114074XX2R
 Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

EURO €
632


COMPASS

COM_R21S4 - WITH SURFACE CANOPY




- Composition includes:**
- 1 single canopy 114074XX2
 - 4 units of T-4074
 - 2 drivers 671000087 / Dimmable Triac

FINISHES / ACABADOS	EURO €
26 BLK	1194
55 BG	1194
59 TC	1194



Scheme parameters / Parámetros esquema:
 Ceiling height / Altura techo = 2500mm
 Table length / Longitud mesa = 2300 - 2600mm
 Table width / Anchura mesa = 900mm

Consult spec sheets for other shape possibilities
 Consultar ficha técnica para más formas




COM_R21R4 - WITH RECESSED CANOPY

- With recessed canopy 114074XX2R
 Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

EURO €
1102


COMPASS

COM_R21S6 - WITH SURFACE CANOPY




- Composition includes:**
- 1 single canopy 114074XX2
 - 6 units of T-4074
 - 3 drivers 671000087 / Dimmable Triac

FINISHES / ACABADOS	EURO €
26 BLK	1664
55 BG	1664
59 TC	1664



Scheme parameters / Parámetros esquema:
 Ceiling height / Altura techo = 2500mm
 Table diameter / Diámetro mesa = 1600 - 2000mm

Consult spec sheets for other possible shapes
 Consultar ficha técnica para más formas




COM_R21R6 - WITH RECESSED CANOPY

- With recessed canopy 114074XX2R
 Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

EURO €
1572

COMPASS

COM_4077



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES / ACABADOS

26 BLK
55 BG
59 TC


EURO €

431
431
431

M-4077-W (2700K Typ 300 lumens)
M-4077-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4078



FEATURES / CARACTERÍSTICAS

* LED 3W (Ang.38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES / ACABADOS

26 BLK
55 BG
59 TC


EURO €

549
549
549

p-4078-W (2700K Typ 300 lumens)
p-4078-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4079



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang.38° / >90CRI / 300mA)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES / ACABADOS

26 BLK
55 BG
59 TC


EURO €

612
612
612

P-4079-W (2700K Typ 625 lumens)
P-4079-M (3000K Typ 652 lumens)

CUPOLINA

CUP_3930



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Maximum 2kg

FINISHES / ACABADOS

26 BLK
74 WH
59 TC

EURO €


382
382
421

Product includes:

- 1 unit of A-3930
- 1 shelf maximum 2kg / estante máximo 2kg

CUPOLINA

CUP_3934S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non Dimmable

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

266
266
277

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3934 with cable
- 1 driver 671000038 / Non Dimmable



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS


26 BLK
74 WH
59 TC


EURO €

254
254
264

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3934 with cable
- 1 remote driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo




REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST / BAJO PEDIDO


EURO €

79

 Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

CUPOLINA

CUP_3935



FEATURES / CARACTERÍSTICAS

* LED 6x6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 6x725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
74 WH

EURO €


1443
1443

Product includes:

- 1 single canopy 113935XX2
- 1 unit of T-3935
- 2 drivers 671000034 / Dimmable Triac

CUPOLINA

CUP_3937



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

390
390
419

CUPOLINA

CUP_3939



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

633
633
681

CYLS

CYL_3900



FEATURES / CARACTERÍSTICAS

LED up to 10W / E14 / 230V
Dimmable when using dim. lamps

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

139
139

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

15

CYLS

CYL_3905



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps


FINISHES / ACABADOS

26 BLK
55 BG

EURO €

202
202

CYL_3905P



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

321
321

Product includes:

- 1 unit of T-3905
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V
Typ 2452 lumens / Non Dimmable

EURO €

35

CYLS

CYL_3906



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch


FINISHES / ACABADOS

26 BLK
55 BG

EURO €

167
167

CYL_3906P



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

286
286

Product includes:

- 1 unit of M-3906
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

35

CYLS

CYL_3907



FEATURES / CARACTERÍSTICAS

LED up to 10W
E14 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

306
306

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

15

CYLS

CYL_3908



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLK
55 BG


EURO €

528
528

Product includes:

- 1 unit of p-3908
- 1 metal base 113908XX2

CYL_3908P



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

647
647

Product includes:

- 1 unit of p-3908
- 1 metal base 113908XX2
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

35

CYLS

CYL_3908M



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base

FINISHES / ACABADOS

26 BLK

EURO €


734

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503

Available until end of stock
Disponible hasta agotar existencias

CYL_3908MP



FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK

EURO €

853

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503
- 1 white pearl shade 123905270

Available until end of stock
Disponible hasta agotar existencias

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

35

ECLIPSI

ECL_3700



FEATURES / CARACTERÍSTICAS



* LED 2x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x870 lumens
Dimmable Triac
Weight: 4,5Kg

FINISHES / ACABADOS

74 WH

EURO €

483



Can be mounted on the ceiling
Se puede instalar en el techo

Signage


Optional laser-cut signage / Minimum order 18 units
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €

37

ECLIPSI

ECL_3701



FEATURES / CARACTERÍSTICAS



* LED 2x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x1245 lumens
Dimmable Triac
Weight: 8,5Kg

FINISHES / ACABADOS

74 WH

EURO €


657



Can be mounted on the ceiling
Se puede instalar en el techo

FLOW

FLO_3730



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non dimmable

FINISHES / ACABADOS


61 S GLD
26 BLK
74 WH

EURO €

335
301
301

FLOW

FLO_3734S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

326
310
310

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3734C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3734R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

314
298
298

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3734C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling / Orificio Ø 45mm en falso techo

REMOTE DRIVER DALI - 671000092

UPON REQUEST FOR / BAJO PEDIDO PARA -3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable


EURO €

79

Ø 60mm drill on dropped ceiling / Orificio Ø 60mm en falso techo

FLOW

FLO_3735S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

347
330
330

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3735C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3735R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

335
318
318

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3735C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling / Orificio Ø 45mm en falso techo

REMOTE DRIVER DALI - 671000092


UPON REQUEST FOR / BAJO PEDIDO PARA T-3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable

EURO €

79

Ø 60mm drill on dropped ceiling / Orificio Ø 60mm en falso techo

FLOW



FLO_3736S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

351
336
336

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3736C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3736R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

339
324
324

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3736C with cable
- 1 remote driver 671000061 / Dimmable Triac

∅ 45mm drill on dropped ceiling / Orificio ∅ 45mm en falso techo

DRIVER FLOW - 671000038

T-3734 / T-3735 / T-3736 (Max. 1x6,1W) / 100V - 240V Non dimmable

EURO €

32

∅ 40mm drill on dropped ceiling / Orificio ∅ 40mm en falso techo

REMOTE DRIVER FLOW - 671000061

T-3734 / T-3735 / T-3736 (Max. 1x10W) / 230V Dimmable Triac

EURO €

38

∅ 45mm drill on dropped ceiling / Orificio ∅ 45mm en falso techo

DRIVER FLOW - 671000034

T-3734 / T-3735 / T-3736 (Min. 2x6,1W - Max. 3x 6,1W) 230V / Dimmable Triac

EURO €

47

∅ 50mm drill on dropped ceiling / Orificio ∅ 50mm en falso techo

REMOTE DRIVER DALI - 671000092


UPON REQUEST FOR / BAJO PEDIDO PARA T-3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable

EURO €

79

∅ 60mm drill on dropped ceiling / Orificio ∅ 60mm en falso techo

FLOW



FLO_L92S4S - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX3
- 4 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

1234
1170
1170

Up to 3 additional FLOW can be added
Posibilidad de añadir hasta 3 FLOW

FLOW



FLO_R40S3S - WITH SURFACE CANOPY

Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

1232
1275
1275

FRAME

FRA_4050 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass


FINISHES / ACABADOS

96 ANT

EURO €
285

FRAME

FRA_4051X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass

FINISHES / ACABADOS

96 ANT

EURO €
358

Signage

Optional laser-cut signage.
Señalización opcional con láser.

EURO €
57


124051960 VEGETATION KIT

KIT for greenery. Plants not included.
KIT de vegetación para plantas. Plantas no incluidas.

EURO €
33

FRAME

FRA_4053X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass


FINISHES / ACABADOS

96 ANT

EURO €
350

FRAME

FRA_4054X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass


FINISHES / ACABADOS

96 ANT

EURO €
358

FRAME

FRA_4055X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass


FINISHES / ACABADOS

96 ANT

EURO €
374

FRAME

FRA_4056X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
 * LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
 Non Dimmable / Hard wired (no plug)
 Transparent pyrex glass

FINISHES / ACABADOS
 96 ANT

EURO €
 410

GADA

GAD_3921



FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Non Dimmable

FINISHES / ACABADOS
 Shade: 74 WH
 Textured vinyl shade:
 50 MM
 51 CT
 52 WD


EURO €
 404
 456
 456
 456

Signage
 Optional laser-cut signage / Minimum order 13 units
 Señalización opcional con láser / Pedido mínimo 13 unidades

EURO €
 37

GADA

GAD_3924S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS
 Shade: 74 WH
 Textured vinyl shade:
 50 MM
 51 CT
 52 WD

EURO €
 535
 586
 586
 586

Product includes:
 • 1 single canopy 113925XX2
 • 1 unit of T-3924
 • 1 driver 671000013 / Dimmable Triac

GAD_3924R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 Shade: 74 WH
 Textured vinyl shade:
 50 MM
 51 CT
 52 WD


EURO €
 461
 512
 512
 512

Product includes:
 • 1 recessed canopy 113534712
 • 1 unit of T-3924
 • 1 remote driver 671000013 / Dimmable Triac


 Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo

GADA

GAD_3925S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Driver included / Dimmable Triac

Product includes:


- 1 single canopy 113925XX2
- 1 unit of T-3925
- 1 driver 671000080 / Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

659
716
716
716



GAD_3925R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Remote driver included / Dimmable Triac

Product includes:

- 1 recessed canopy 113534712
- 1 unit of T-3925
- 1 remote driver 671000080 / Dimmable Triac

FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD


EURO €

585
642
642
642

\varnothing 55mm drill on dropped ceiling
Orificio \varnothing 55mm en falso techo

GADA

GAD_3927



FEATURES / CARACTERÍSTICAS

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
On/Off switch on the base

FINISHES / ACABADOS


Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

572
608
608
608

ICONS

ICO_1127



FEATURES / CARACTERÍSTICAS

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

- ⊕ * LED 6,2W (2700K / Ang.120° >90 CRI / 350mA) / 230V
Typ 725 lumens
On/Off Switch

FINISHES / ACABADOS

61 S GLD
37 NI
26 BLK


EURO €

1206
1037
1006

Available until end of stock
Disponible hasta agotar existencias

ICONS

ICO_1129



FEATURES / CARACTERÍSTICAS

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

FINISHES / ACABADOS



61 S GLD
37 NI
26 BLK

EURO €

732
692
577

LAVERD

LAV_3805S



FEATURES / CARACTERÍSTICAS

* LED 16x3W (2700K / Ang. 80° / >90 CRI 24V) 100V - 277V / Typ 16x300 lumens
Driver included / Dimmable 0-10V
Up and down light

Product includes:

- 1 round canopy 113805263
- 1 unit of T-3805
- 1 driver included / Dimmable 0-10V


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD

EURO €



2016
2184

Possible shapes / compositions



LAVERD

LAV_3806S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 24x3W (2700K / Ang. 80° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens
Driver included / Dimmable 0-10V
Up and down light

Product includes:

- 1 round canopy 113805263
- 1 unit of T-3806
- 1 driver included / Dimmable 0-10V


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD

EURO €



3196
3450

Possible shapes / compositions



LAVERD

LAV_R11S1S1M - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113805263
- 1 unit of T-3805
- 1 unit of T-3806
- 1 connection kit 123805262


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD

EURO €


5213
5635

Possible shapes / compositions



LAVERD

LAV_R11S1M1VK - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 24x3W (2700K / Ang. 80° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens
Dimmable 0-10V
Up and down light

Product includes:



- 1 round canopy 113805263
 - 1 unit of T-3806
 - 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD


EURO €

5242
5496



LOOP

LOO_4125S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1026 lumens
Driver included / Dimmable Triac

Product includes:


- 1 surface canopy 114125XX0
- 1 unit of T-4125 with textile cable
- 1 driver 671000094 / Dimmable Triac

FINISHES / ACABADOS

20 GLD M
26 BLK

EURO €

517
498



LOO_4125R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 1026 lumens
Remote Driver included / Dimmable Triac

Product includes:


- 1 recessed canopy 113534XX2
- 1 unit of T-4125 with textile cable
- 1 remote driver 671000094 / Dimmable Triac

FINISHES / ACABADOS

Canopy: 71 WH
20 GLD M
26 BLK


EURO €

500
482

 \varnothing 60mm drill on dropped ceiling
Orificio \varnothing 60mm en falso techo

LOOP

LOO_L92S3 - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX3
- 3 units of T-4125 with textile cable
- 3 driver 671000094 / Dimmable Triac

FINISHES / ACABADOS


20 GLD M
26 BLK

EURO €

1644
1528

LOOP

LOO_R40S3 - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-4125 with textile cable
- 3 driver 671000094 / Dimmable Triac

FINISHES / ACABADOS


20 GLD M
26 BLK

EURO €

2111
1894

LOOP

LOO_R70S6 - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113415XX4
- 6 units of T-4125 with textile cable
- 6 driver 671000094 / Dimmable Triac

FINISHES / ACABADOS


20 GLD M
26 BLK

EURO €

3559
3442

LUNE

LUN_3370 - OUTDOOR

**FEATURES / CARACTERÍSTICAS**

IP 65
* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Indoor & Outdoor: 26 BLK
74 WH
Indoor only: 61 S GLD
37 NI
52 WD

EURO €

364
364
406
391
428

Signage


Optional laser-cut signage
Señalización opcional con láser

EURO €

57

MAINE

MAI_3410L

**FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


45 CP M
20 GLD M
26 BLK

EURO €

285
285
270

MAINE

MAI_3415LS - WITH SURFACE CANOPY

**FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Shade: 45 CP M
20 GLD M
26 BLK

EURO €


376
376
361

Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3415LC with textile cable
- 1 ceiling holder

MAINE

MAI_R40S3 - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-3415LC with textile cable

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Shade: 45 CP M
20 GLD M
26 BLK

EURO €

1522
1522
1477

MOOD

MOO_4064S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 1800 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS


74 WH
91 ND

EURO €


474
474

Product includes:

- 1 surface canopy 113925XX2
- 1 unit of T-4064
- 1 driver 671000090 / Dimmable Triac



MOO_4064R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 1800 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS


74 WH
91 ND

EURO €

474
474


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4064
- 1 remote driver 671000090 / Dimmable Triac

 \varnothing 60mm drill on dropped ceiling
Orificio \varnothing 60mm en falso techo

MOOD

MOO_4062S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 2x1800 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS


74 WH
91 ND

EURO €


1038
1038

Product includes:

- 1 surface canopy 113815XX3
- 1 unit of T-4062
- 2 drivers 671000090 / Dimmable Triac



MOO_4062R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 2x1800 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

74 WH
91 ND


EURO €

927
927


Product includes:

- 1 recessed canopy 113820XX3
- 1 unit of T-4062
- 2 remote drivers 671000090 / Dimmable Triac

 \varnothing 60mm drill on dropped ceiling
Orificio \varnothing 60mm en falso techo



MOO_L92S2D - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 114063XX3
- 2 units of T-4062
- 1 driver 671000053 / Dimmable 0-10V
- 1 union KIT 124062002

FINISHES / ACABADOS



74 WH
91 ND

EURO €

1795
1795

MOOD

MOO_4063S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Driver included / Dimmable 0-10V

Product includes:


- 1 surface canopy 113815XX3
- 1 unit of T-4063
- 2 drivers 671000052 / Dimmable 0-10V

FINISHES / ACABADOS



- 74 WH
- 91 ND

EURO €

- 1619
- 1619



MOO_4063R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Driver included / Dimmable 0-10V

Product includes:


- 1 recessed canopy 113820XX3
- 1 unit of T-4063
- 2 remote drivers 671000052 / Dimmable 0-10V


FINISHES / ACABADOS

- 74 WH
- 91 ND


EURO €

- 1508
- 1508

 Ø 65mm drill on dropped ceiling
Orificio Ø 65mm en falso techo



MOO_L92S1D1T - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 114063XX3
- 1 unit of T-4062
- 1 unit of T-4063
- 3 drivers 671000052 / Dimmable 0-10V
- 1 union KIT 124062002


FINISHES / ACABADOS

- 74 WH
- 91 ND

EURO €

- 2508
- 2508

MOO_L92S2TV1 - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 114063XX3
- 2 units of T-4063
- 3 drivers 671000052 / Dimmable 0-10V
- 2 union KIT 124062002

FINISHES / ACABADOS

- 74 WH
- 91 ND


EURO €

- 3008
- 3008


MOOD

MOO_4066

40 mm
1.5/8"



∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug

FINISHES / ACABADOS

74 WH
91 ND


EURO €

334
334

MOOD


MOO_4060 - FLAT WALL SUPPORT

9 mm
3/8"



∅ 43 mm
∅ 1.3/4"

∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"

40 mm
1.5/8"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct light

FINISHES / ACABADOS

74 WH
91 ND

EURO €

361
361

Product includes:

- 1 shade of M-4066
- 1 flat wall support 114060000



∅ 22 mm
∅ 7/8"

16 mm
5/8"

124060262

Cable holder to guide the cord
Sujetacable para guiar cable


EURO €

20

MOOD

MOO_4061 - WALL SUPPORT STEM


150 mm
5.7/8"



90°

90°

∅ 270 mm
∅ 10.5/8"



3000 mm
118.1/8"

3500 mm
137.3/4"



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug
Direct or indirect light

FINISHES / ACABADOS

74 WH
91 ND



EURO €

454
454

Product includes:


- 1 shade of M-4066
- 1 wall support stem 114061XX0

Possible shapes:



MOOD

MOO_4065 - CEILING SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
 Push button dimmer on the cord
 Universal plug
 Direct or indirect light

FINISHES / ACABADOS

74 WH
 91 ND


EURO €

390
 390

Product includes:


- 1 shade of M-4065
- 1 ceiling support 114065000

Possible shapes:



MOOD

MOO_4067 - TABLE SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
 Push button dimmer on the cord
 Universal plug
 Direct or indirect light

FINISHES / ACABADOS

74 WH
 91 ND


EURO €

499
 499

Product includes:


- 1 shade of M-4066
- 1 table support 114067XX0

Possible shapes:



MOOD

MOO_4068 - FLOOR SUPPORT



FEATURES / CARACTERÍSTICAS

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
 Push button dimmer on the cord
 Universal plug
 Direct or indirect light

FINISHES / ACABADOS

74 WH
 91 ND


EURO €

602
 602

Product includes:


- 1 shade of M-4066
- 1 floor support 114068XX0

Possible shapes:



MORSE

MOR_3915S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 80° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Driver included / Dimmable Triac


FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK

EURO €
 1001

- Product includes:**
- 1 single canopy 113924XX0
 - 1 unit of T-3915
 - 1 driver 671000034 / Dimmable Triac

123530XX3 (x3)
 3 units of embedded optic lens 30°
 3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS
 26 BLK
EURO €
 81



MOR_3915R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (2700K / Ang. 80° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK


EURO €
 974

- Product includes:**
- 1 single canopy 113534XX2
 - 1 unit of T-3915
 - 1 remote driver 671000034 / Dimmable Triac

Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo

123530XX3
 3 units of embedded optic lens 30°
 3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS
 26 BLK
EURO €
 81





REMOTE DRIVER DALI - 671000092
 18W / 350mA / 230V / DALI Dimmable
 UPON REQUEST / BAJO PEDIDO

EURO €
 79

Ø 60mm drill on dropped ceiling
 Orificio Ø 60mm en falso techo

123915002
 Union KIT for more than one Morse
 KIT unión para más de una Morse

EURO €
 18



NIT		NIT_3520	
	FEATURES / CARACTERÍSTICAS * LED 1W (3000K / Ang. 60° / >80 CRI / 350mA) 100V - 240V / Typ 123 lumens On/Off switch 2 Amp USB Charger Low ripple	FINISHES / ACABADOS 26 BLK 74 WH	EURO € 378 378
	Product includes: • 1 unit of A-3520 • 1 top shelf 113520XX0	Available until end of stock Disponible hasta agotar existencias	

OBS		OBS_3220	
	FEATURES / CARACTERÍSTICAS * LED 15W (2700K / Ang. 120° / >90 CRI) 230V / Typ 1245 lumens Dimmable Triac	FINISHES / ACABADOS 44 CP 61 S GLD 76 WH	EURO € 328 319 237


PIU		PIU_3320L	
	FEATURES / CARACTERÍSTICAS * LED 15W (2700K / Ang. 120° / >90 CRI) 230V / Typ 1245 lumens Dimmable Triac	FINISHES / ACABADOS 74 WH	EURO € 224
	Signage Optional laser-cut signage / Minimum order 25 units Señalización opcional con láser / Pedido mínimo 25 unidades	Available until end of stock Disponible hasta agotar existencias	

PLUMA		PLU_2959	
	FEATURES / CARACTERÍSTICAS * LED 13W (2700K / Ang. 120° / >90 CRI) E27 / Typ 1521 lumens / 230V Dimmable	FINISHES / ACABADOS Body: 26 BLK Shade: 64 BLK L	EURO € 1957
	Product includes: • 1 unit of P-2959 • 1 shade 112956640 • 1 dimmable LED bulb	122959000 - KIT T-2959 Bottom acrylic diffuser kit optional for black shade. Kit difusor inferior de metacrilato, opcional para pantalla negra.	

REVOLTA		REV_3630	
	FEATURES / CARACTERÍSTICAS * LED 6,2W (Ang. 80° / >90 CRI / 350mA) 100V - 240V / Non Dimmable A-3630-W (2700K Typ 725 lumens) A-3630-M (3000K Typ 763 lumens)	FINISHES / ACABADOS Body: 26 BLK Head: 26 BLK - 61 S GLD	EURO € 369
	123530XX3 Embedded optic lens 30° Óptica encastrada 30°	FINISHES / ACABADOS 26 BLK 61 S GLD	

REVOLTA

REV_3635S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

*LED 6,2W (Ang. 80° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

517

T-3635S-W (2700K Typ 725 lumens)
T-3635S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3635C

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

298

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

125

Other finishes available, consult our offices

123530XX3

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

27

28

REV_3635R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

*LED 6,2W (Ang. 80° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD


EURO €

517

T-3635R-W (2700K Typ 725 lumens)
T-3635R-M (3000K Typ 763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3635C

 Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

298

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

125

Other finishes available, consult our offices

123530XX3

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

27


28


REMOTE DRIVER DALI - 671000092


18W / 350mA / 230V / DALI Dimmable
UPON REQUEST / BAJO PEDIDO

EURO €

79



 Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

REVOLTA
REV_3636S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 80° / >90 CRI
350mA) / 230V
Driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €
689

T-3636S-W (2700K Typ 2x725 lumens)
T-3636S-M (3000K Typ 2x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3636C

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €
385

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €
167


Other finishes available, consult our offices

123530XX3 (x2)

2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €
54
56
REV_3636R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 80° / >90 CRI
350mA) / 230V
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €
689

T-3636R-W (2700K Typ 2x725 lumens)
T-3636R-M (3000K Typ 2x763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3636C

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €
385

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €
167

Other finishes available, consult our offices

123530XX3 (x2)


2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €
54
56
REMOTE DRIVER DALI - 671000092


18W / 350mA / 230V / DALI Dimmable
UPON REQUEST / BAJO PEDIDO

EURO €
79


Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo

REVOLTA

REV_L73S2D - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113535XX1
- 2 units of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1402

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

123530XX3 (x4)


4 units of embedded optic lens 30°
4 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

108
112



REV_L73R2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1402

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

 Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

123530XX3 (x4)

4 units of embedded optic lens 30°
4 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

108
112

REVOLTA

REV_L73S1S1D - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113535XX1
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1230

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)


3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

81
84



REV_L73R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1230

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

 Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

123530XX3 (x3)


3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

81
84

REVOLTA
REV_L92S1S1D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX3
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1230

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°


FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

81

84

REV_L92R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX3R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD


EURO €

1230

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

REVOLTA
REV_L165S5D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX7
- 5 units of T-3636C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

3284

Optional, not included:

- Up to 5 acoustic panels 123636XX0X

123530XX3 (x10)

10 units of embedded optic lens 30°
10 unidades de la óptica encastrada 30°


FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

270

280

REVOLTA
REV_L40S1S1D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113635XX2
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1173

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°


FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €

81

84

REV_L40R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113635XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1158

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

123530XX3 (x3)

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD


EURO €

81

84

REVOLTA

REV_R7OS3S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113535XX4
- 3 units of T-3635C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1975

Optional, not included:

- Up to 3 acoustic panels 123635XX0X

123530XX3 (x3)

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

81
84

REVOLTA

REV_R10OS5S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113535XX5
- 5 units of T-3635C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

3017

Optional, not included:

- Up to 5 acoustic panels 123635XX0X

123530XX3 (x5)

5 units of embedded optic lens 30°
5 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

135
140

REVOLTA

REV_3637



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Sensor Dimmer / Universal plug

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

600

M-3637-W [2700K Typ 725 lumens]
M-3637-M [3000K Typ 763 lumens]

123530XX3

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

27
28

SHAPES

SHA_4100



FEATURES / CARACTERÍSTICAS


* LED 10W [2700K / Ang. 120° / >90 CRI]
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

74 WH
94 CHMP
96 ANT

EURO €

254
259
254



Signage

Optional laser-cut signage
Señalización opcional con láser


EURO €

57

TIK		TIK_4090X - OUTDOOR			
	Ø 35 mm Ø 1.3/8"	IP 65	FEATURES / CARACTERÍSTICAS * LED 3W (2700K / Ang. 80° / >90CRI 24V) / 100V - 240V / Typ 300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source Tubo fijo con fuente de luz	FINISHES / ACABADOS 88 GR ST 89 PL GRN 96 ANT	EURO € 329 329 329
			Product includes: <ul style="list-style-type: none"> • 1 unit of A-4090X • 1 remote driver 671000062 / Non Dimmable 		
TIK_4090 - INDOOR					
	IP 20	FEATURES / CARACTERÍSTICAS * LED 6,2W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 652 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source Tubo fijo con fuente de luz	FINISHES / ACABADOS 61 S GLD 88 GR ST 96 ANT	EURO € 407 318 318	
		Product includes: <ul style="list-style-type: none"> • 1 unit of A-4090X • 1 remote driver 671000062 / Non Dimmable 			
TIK_4091X - OUTDOOR					
	IP 65	FEATURES / CARACTERÍSTICAS * LED 2x3W (2700K / Ang. 80° / >90CRI 24V) / 230V / Typ 2x300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source Tubo fijo con fuente de luz	FINISHES / ACABADOS 88 GR ST 89 PL GRN 96 ANT	EURO € 403 403 403	
		Product includes: <ul style="list-style-type: none"> • 1 unit of A-4091X • 1 remote driver 671000026 / Non Dimmable 			
TIK_4091 - INDOOR					
	IP 20	FEATURES / CARACTERÍSTICAS * LED 2x3W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 2x350 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source Tubo fijo con fuente de luz	FINISHES / ACABADOS 61 S GLD 88 GR ST 96 ANT	EURO € 503 383 383	
		Product includes: <ul style="list-style-type: none"> • 1 unit of A-4091X • 1 remote driver 671000026 / Non Dimmable 			
TIK_4096X - OUTDOOR					
	IP 65	FEATURES / CARACTERÍSTICAS * LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source Tubo fijo con fuente de luz	FINISHES / ACABADOS 88 GR ST 89 PL GRN 96 ANT	EURO € 383 383 383	
		Product includes: <ul style="list-style-type: none"> • 1 unit of A-4096X • 1 remote driver 671000026 / Non Dimmable 			

TIK

TIK_4097X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 80° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS


88 GR ST
 89 PL GRN
 96 ANT

EURO €

387
 387
 387

TIK

TIK_4098X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 80° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS


88 GR ST
 89 PL GRN
 96 ANT

EURO €

442
 442
 442

TIK

TIK_4099X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 80° / >90 CRI
 350mA) / 230V / Typ 725 lumens
 Non dimmable / Hard wired (no plug)
 Non-adjustable tube enclosing light source
 Tubo fijo con fuente de luz

FINISHES / ACABADOS


88 GR ST
 89 PL GRN
 96 ANT

EURO €

466
 466
 466

VOLTA

VOL_3530



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

334
334

A-3530-W (2700K Typ 725 lumens)

A-3530-M (3000K Typ 763 lumens)

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.
Cable y enchufe con interruptor. 1400mm de longitud.

EURO €

35

123530XX3

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

27
28

VOLTA

VOL_3531



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

374
374

A-3531-W (2700K Typ 725 lumens)

A-3531-M (3000K Typ 763 lumens)

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.
Cable y enchufe con interruptor. 1400mm de longitud.

EURO €

35

123530XX3

Embedded optic lens 30°
Óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

27
28

VOLTA

VOL_3533S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
100V - 240V

FINISHES / ACABADOS

26 BLK

EURO €

225

Driver included / Non Dimmable

Additional 80° optic lens included

VOL_3533S-W (2700K Typ 725 lumens)

VOL_3533S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113740262
- 1 unit of A-3533 or t-3533
- 1 driver 671000038 / Non Dimmable

VOL_3533R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
230V

FINISHES / ACABADOS

26 BLK

EURO €

172

Remote driver included / Dimmable Triac

Additional 80° optic lens included

VOL_3533R-W (2700K Typ 725 lumens)

VOL_3533R-M (3000K Typ 763 lumens)


Product includes:

- 1 unit of A-3533 or t-3533
- 1 remote driver 671000061 / Dimmable Triac

Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

VOLTA

VOL_3534S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 80° / >90 CRI / 350mA)
 100V - 240V / Driver included / Non dimmable


T-3534S-W (2700K Typ 725 lumens)
 T-3534S-M (3000K Typ 763 lumens)

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK - 71 WH	
Body: 26 BLK	
Head: 26 BLK - 61 S GLD	304
Body & Head: 71 WH	304

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3534C with cable
- 1 driver 671000038 / Non Dimmable

123530XX3	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLK	27
Óptica encastrada 30°	61 S GLD	28



VOL_3534R - WITH RECESSED CANOPY


FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 80° / >90 CRI / 350mA)
 230V / Remote driver included / Dimmable Triac

T-3534R-W (2700K Typ 725 lumens)
 T-3534R-M (3000K Typ 763 lumens)

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK - 71 WH	
Body: 26 BLK	
Head: 26 BLK - 61 S GLD	292
Body & Head: 71 WH	292

Product includes:


- 1 recessed canopy 113534XX2
- 1 unit of T-3534C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø45mm drill on dropped ceiling
 Orificio Ø 45mm en falso techo 

123530XX3	FINISHES / ACABADOS	EURO €
Embedded optic lens 30°	26 BLK	27
Óptica encastrada 30°	61 S GLD	28

VOLTA

VOL_L92S4S - WITH SURFACE CANOPY



Composition includes:




- 1 linear canopy 113415XX3
- 4 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 3 additional VOLTA can be added
 Posibilidad de añadir hasta 3 VOLTA

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK - 71 WH	
Body: 26 BLK	
Head: 26 BLK - 61 S GLD	1146
Body & Head: 71 WH	1146

123530XX3 (x4)	FINISHES / ACABADOS	EURO €
4 units of embedded optic lens 30°	26 BLK	108
4 unidades de la óptica encastrada 30°	61 S GLD	112

VOLTA

60 mm
3.3/8"Ø 35 mm
Ø 1.3/8"

VOL_3535S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3535S-W (2700K Typ 2x725 lumens)
T-3535S-M (3000K Typ 2x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3535C

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €

582
582
646

123530XX3 (x2)

2 units of embedded optic lens 30°
2 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD
87 AL F

EURO €

54
56
54

VOL_3535R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3535R-W (2700K Typ 2x725 lumens)
T-3535R-M (3000K Typ 2x763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3535C

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

582
582

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST / BAJO PEDIDO




Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo



EURO €

79

VOLTA

Ø 35 mm
Ø 1.3/8"60 mm
3.3/8"Ø 35 mm
Ø 1.3/8"

VOL_3536S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3536S-W (2700K Typ 3x725 lumens)
T-3536S-M (3000K Typ 3x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3536C

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €

757
757
865

123530XX3 (x3)

3 units of embedded optic lens 30°
3 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD
87 AL F

EURO €

81
84
81

VOL_3536R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3536R-W (2700K Typ 3x725 lumens)
T-3536R-M (3000K Typ 3x763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3536C

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

757
757

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST / BAJO PEDIDO



Ø 60mm drill on dropped ceiling
Orificio Ø 60mm en falso techo



EURO €

79

VOLTA



VOL_L73S2D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX1
- 2 units of T-3535C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €
1188
1188

123530XX3 (x4)

4 units of embedded optic lens 30°
4 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €
108
112

VOL_L73R2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3535C
- 2 remote drivers / Dimmable Triac



FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €
1188
1188

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

VOLTA



VOL_L78S1D1T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX2
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €
1363
1363
1526

123530XX3 (x5)

5 units of embedded optic lens 30°
5 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD
87 AL F

EURO €
135
140
135

VOL_L78R1D1T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX2R
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 remote drivers / Dimmable Triac



FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €
1363

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

VOLTA



VOL_L92S2T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX3
- 2 units of T-3536C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €
1538
1538

123530XX3 (x6)

6 units of embedded optic lens 30°
6 unidades de la óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
61 S GLD

EURO €
162
168

VOL_L92R2T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX3R
- 2 units of T-3536C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €
1538
1538

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

VOLTA

VOL_L165S3D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 3 units of T-3535C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

1795
1795

123530XX3 (x6)

6 units of embedded optic lens 30°
6 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

162
168

VOLTA

VOL_L165S1T1D1T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 1 unit of T-3535C
- 2 units of T-3536C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

2145
2145

123530XX3 (x8)

8 units of embedded optic lens 30°
8 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

216
224

VOLTA

VOL_L165S1D2T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 1 unit of T-3535C
- 2 units of T-3536C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

2145
2145

123530XX3 (x8)

8 units of embedded optic lens 30°
8 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

216
224

VOLTA

VOL_L165S3D2T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 3 units of T-3535C
- 2 units of T-3536C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

3099
3099

123530XX3 (x12)

12 units of embedded optic lens 30°
12 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

324
336

VOLTA

VOL_R70S3D - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113535XX4
- 3 units of T-3535C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

2170
 2170

123530XX3 (x6)

6 units of embedded optic lens 30°
 6 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
 61 S GLD

EURO €

162
 168

VOLTA

VOL_R100S5D - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113535XX5
- 5 units of T-3535C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

3342
 3342

123530XX3 (x10)

10 units of embedded optic lens 30°
 10 unidades de la óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
 61 S GLD

EURO €

270
 280

VOLTA

VOL_3537



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 80° / >90 CRI 350mA) / 230V
 On / Off Switch

FINISHES / ACABADOS

Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

384
 384

M-3537-W (2700K Typ 725 lumens)
 M-3537-M (3000K Typ 763 lumens)

123530XX3

Embedded optic lens 30°
 Óptica encastrada 30°

FINISHES / ACABADOS


26 BLK
 61 S GLD

EURO €

27
 28

VOLTA

VOL_3538



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 80° / >90 CRI 350mA) / 230V
 Push button dimmer on the head

FINISHES / ACABADOS

Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

503
 503

p-3538-W (2700K Typ 725 lumens)
 p-3538-M (3000K Typ 763 lumens)

123530XX3

Embedded optic lens 30°
 Óptica encastrada 30°

FINISHES / ACABADOS

26 BLK
 61 S GLD

EURO €

27
 28

DRIVERS, REPLACEMENTS AND CANOPIES
DRIVERS, RECAMBIOS Y FLORONES

DRIVER	671000023		FEATURES / CARACTERÍSTICAS DRIVER BUTTON 10W (1x10W) 350mA / 100V - 240V / Non dimmable	EURO € 32	Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
DRIVER	671000026		FEATURES / CARACTERÍSTICAS REMOTE DRIVER TIK A-4091X 15W / 24V / 230V / Non dimmable	EURO € 38	Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
DRIVER	671000034		FEATURES / CARACTERÍSTICAS DRIVER CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 2x6,2W - Max. 3x 6,2W) 350mA / 230V / Dimmable Triac	EURO € 47	Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
DRIVER	671000038		FEATURES / CARACTERÍSTICAS DRIVER ALFI WALL / CIRC / CUPOLINA / FLOW / VOLTA (Max. 1x 6,1W) 24V & 350mA / 100V - 240V / Non dimmable	EURO € 32	Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo
DRIVER	671000052		FEATURES / CARACTERÍSTICAS DRIVER MOOD 60W / 24V / 90V - 305V Dimmable 0-10V	EURO € 120	Ø 65mm drill on dropped ceiling Orificio Ø 65mm en falso techo
DRIVER	671000053		FEATURES / CARACTERÍSTICAS DRIVER MOOD 90W / 24V / 90V - 305V Dimmable 0-10V	EURO € 120	Ø 75mm drill on dropped ceiling Orificio Ø 75mm en falso techo
DRIVER	671000061		FEATURES / CARACTERÍSTICAS REMOTE DRIVER ALFI WALL / BUTTON T-3302 / CUPOLINA / FLOW / REVOLTA / VOLTA T-3534 (Max. 1x10W) 350mA / 230V / Dimmable Triac	EURO € 38	Ø 45mm drill on dropped ceiling Orificio Ø 45mm en falso techo
DRIVER	671000062		FEATURES / CARACTERÍSTICAS DRIVER ALFI SUSPENSION 6W / 24V / 100V - 240V Non Dimmable	EURO € 49	Ø 60mm drill on dropped ceiling Orificio Ø 60mm en falso techo
DRIVER	671000064 / 671000065		FEATURES / CARACTERÍSTICAS 671000064: DRIVER GADA 22W 500mA / 230V / Non dimmable 671000065: DRIVER GADA 31W 700mA / 230V / Non Dimmable	EURO € 44	Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
DRIVER	671000073		FEATURES / CARACTERÍSTICAS DRIVER ALFI WALL (Max. 1x3,5W) 350mA / 100V - 240V Non dimmable	EURO € 38	Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo

DRIVER	671000087			
	FEATURES / CARACTERÍSTICAS DRIVER COMPASS 15W / 300mA / 230V Dimmable Triac		EURO € 36	Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
DRIVER	671000090			
	FEATURES / CARACTERÍSTICAS DRIVER ALFI / ARCO / ARO / MOOD 30W / 24V / 230V Dimmable Triac		EURO € 66	Ø 60mm drill on dropped ceiling Orificio Ø 60mm en falso techo
DRIVER	671000091			
	FEATURES / CARACTERÍSTICAS DRIVER CIRC 15W (2x6,2W) 350mA / 230V / Dimmable Triac		EURO € 47	Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
DRIVER DALI	671000092			
	FEATURES / CARACTERÍSTICAS REMOTE DRIVER DALI (Min. 1x6,2W - Max. 3x 6,2W) CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA 18W / 350mA / 230V / DALI Dimmable		EURO € 79	Ø 60mm drill on dropped ceiling Orificio Ø 60mm en falso techo
BULB / BOMBILLA (PLUMA)	100013420			
	FEATURES / CARACTERÍSTICAS LED 13W (2700K) / Typ 1521 lumens E27 / 230V / Dimmable		EURO € 29	
BULB / BOMBILLA (CYLS)	100019420			
	FEATURES / CARACTERÍSTICAS LED 19W (2700K) / Typ 2452 lumens E27 / 230V / Non dimmable		EURO € 35	
BULB / BOMBILLA (CYLS)	100006400			
	FEATURES / CARACTERÍSTICAS LED 6W (2700K) / Typ 650 lumens E14 / 230V / Non dimmable		EURO € 15	
OPTIC LENS 30° (MORSE / VOLTA / REVOLTA)	123530XX3			
	FEATURES / CARACTERÍSTICAS Embedded optic lens 30° Óptica encastrada 30° Compatible with Morse / Volta / Revolta	FINISHES / ACABADOS 26 BLK 61 S GLD 71 WH 87 AL F	EURO € 27 28 27 27	
SPARE LED KIT (VOLTA / REVOLTA / FLOW / CUPOLINA)	123530000			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Volta / Revolta / Flow / Cupolina) Recambio LED 2700K (Volta / Revolta / Flow / Cupolina)		EURO € 49	
	123530001			
	FEATURES / CARACTERÍSTICAS Spare LED 3000K (Volta / Revolta / Flow) Recambio LED 3000K (Volta / Revolta / Flow / Cupolina)		EURO € 49	
SPARE LED KIT (CIRC)	123810000			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Circ 6,2W) Recambio LED 2700K (Circ 6,2W)		EURO € 49	
SPARE LED KIT (ARO)	670000088			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Aro 10W) Recambio LED 2700K (Aro 10W)		EURO € 107	

SPARE PARTS (ICONS AND CLASSICS COLLECTIONS)

460978011




FEATURES

Bulb protector (Halogen 118mm / R7s base)

EURO €
11

461124000




FEATURES

Bottom glass diffuser (Icons P-1127 / P-1129)

EURO €
7

660005600




FEATURES

Dimmer (Icons P-1127 / P-1129)
(Classics P-1171 / P-1173 / P-1070 / P-1170
P-1122 / P-1062 / P-1225 / P-1235 / P-1062)

EURO €
31

660020006




FEATURES

Transformer (Icons P-1127)

EURO €
57

480997002




FEATURES

Potenciometer (Icons P-1127)
(Classics P-1171 / P-1173 / P-1070
P-1170 / P-2373 / P-1225 / P-1235)

EURO €
28

480524001




FEATURES

Potenciometer (Icons P-1129)
(Classics P-1122 / P-1062)

EURO €
17

SINGLE CANOPY

113302XX1



FEATURES / CARACTERÍSTICAS

Canopy for 1 single pendant T-3302 Sujeción para 1 suspensión individual T-3302
Compatible with T-3302C adding strain relief 441137XX0 + 510037524

FINISHES / ACABADOS

26 BLK
71 WH
93 GR LM

EURO €
81
81
85

SINGLE CANOPY

113416XX0



FEATURES / CARACTERÍSTICAS

Canopy for 1 single pendant
1 ceiling holder included
Sujeción para 1 suspensión individual
1 pinza de sujeción a techo incluida
Compatible with items: T-3055C / T-3415C


FINISHES / ACABADOS

26 BLK
37 NI
71 WH

EURO €
64
72
64

MULTIPOINT CANOPY

113415XX0



FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants,
7 ceiling holders included
Sujeción para 7 suspensiones individuales
7 pinzas de sujeción a techo incluidas
Compatible with items: T-2443C / T-3055C / T-3302C / T-3415C
T-3534C / T-3734C / T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADOS

26 BLK
71 WH

EURO €
315
315

SURFACE SINGLE CANOPY

113534XX0



FEATURES / CARACTERÍSTICAS

Canopy for 1 single pendant
Sujeción para 1 suspensión individual
Compatible with items: T-3534C / T-3734C
T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADOS

20 GLD M
26 BLK
59 TC
71 WH

EURO €
67
64
70
64

RECESSED SINGLE CANOPY

113534XX2

 Ø 110 mm
 Ø 4.3/8"

FEATURES / CARACTERÍSTICAS

Recessed canopy for 1 single pendant.
 Sujeción empotrada para 1 suspensión.
 Compatible with items: T-3302 / T-3534 / T-3541 /
 T-3714 / T-3715 / T-3716 T-3734 / T-3735 / T-3736 /
 T-3744 / T-3915 / T-3934


FINISHES / ACABADOS

 20 GLD M
 26 BLK
 59 TC
 71 WH

FINISH	EURO €
20 GLD M	47
26 BLK	46
59 TC	51
71 WH	46

LINEAR MULTIPLE CANOPY - L73S

113415XX1


FEATURES / CARACTERÍSTICAS

Canopy for 5 single pendants
 Sujeción para 5 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3555C / T-3734C T-3735C / T-3736C /
 T-3744 / T-3934



FINISHES / ACABADOS

 26 BLK
 71 WH

FINISH	EURO €
26 BLK	220
71 WH	220

LINEAR MULTIPLE CANOPY - L92S

113415XX3


FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants
 Sujeción para 7 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3555C / T-3734C T-3735C / T-3736C /
 T-3744 / T-3934



FINISHES / ACABADOS

 20 GLD M
 26 BLK
 71 WH

FINISH	EURO €
20 GLD M	282
26 BLK	220
71 WH	220

LINEAR MULTIPLE CANOPY - L165S

113415XX7


FEATURES / CARACTERÍSTICAS

Canopy for 11 single pendants
 Sujeción para 11 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3734C T-3735C / T-3736C / T-3744 /
 T-3934



FINISHES / ACABADOS

 26 BLK
 71 WH

FINISH	EURO €
26 BLK	333
71 WH	333

ROUND MULTIPLE CANOPY - R40S

113415XX6


FEATURES / CARACTERÍSTICAS

Canopy for 3 single pendants
 Sujeción para 3 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3734C T-3735C / T-3736C / T-3744 /
 T-3934



FINISHES / ACABADOS

 20 GLD M
 26 BLK
 71 WH

FINISH	EURO €
20 GLD M	749
26 BLK	586
71 WH	586

ROUND MULTIPLE CANOPY - R70S

113415XX4


FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants
 Sujeción para 7 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3734C T-3735C / T-3736C / T-3744 /
 T-3934



FINISHES / ACABADOS

 20 GLD M
 26 BLK
 71 WH

FINISH	EURO €
20 GLD M	835
26 BLK	826
71 WH	826

ROUND MULTIPLE CANOPY - R100S

113415XX5


FEATURES / CARACTERÍSTICAS

Canopy for 17 single pendants
 Sujeción para 17 suspensiones individuales
 Compatible with items: T-3302C / T-3415C /
 T-3534C / T-3734C T-3735C / T-3736C / T-3744 /
 T-3934


FINISHES / ACABADOS

 26 BLK
 71 WH

FINISH	EURO €
26 BLK	1070
71 WH	1070

SURFACE SINGLE CANOPY (VOLTA / REVOLTA)

113635XX0



1 REVOLTA T-3635S


FEATURES / CARACTERÍSTICAS

Canopy for 1 volta / revolta pendant
 Sujeción para 1 suspensión volta / revolta
 Compatible with items:
 T-3535C / T-3536C / T-3635C / T-3636C

FINISHES / ACABADO


 26 BLK
 71 WH
 87 AL F

FINISH	EURO €
26 BLK	105
71 WH	105
87 AL F	122


RECESSED SINGLE CANOPY (VOLTA / REVOLTA)		113635XX0R	1 REVOLTA T-3635R	FEATURES / CARACTERÍSTICAS Recessed canopy for 1 pendant Sujeción empotrada para 1 suspensión Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 105 105
SURFACE LINEAR CANOPY - L73S (VOLTA / REVOLTA)		113535XX1	2 VOLTA T-3535	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 234 234
RECESSED LINEAR CANOPY - L73R (VOLTA / REVOLTA)		113535XX1R	2 VOLTA T-3535	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 234 234
SURFACE LINEAR CANOPY - L78S (VOLTA / REVOLTA)		113535XX2	1 VOLTA T-3535 1 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH 87 AL F	EURO € 234 234 259
RECESSED LINEAR CANOPY - L78R (VOLTA / REVOLTA)		113535XX2R	1 VOLTA T-3535 1 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 234 234
SURFACE LINEAR CANOPY - L92S (VOLTA / REVOLTA)		113535XX3	1 REVOLTA T-3635 1 REVOLTA T-3636	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 234 234
RECESSED LINEAR CANOPY - L92R (VOLTA / REVOLTA)		113535XX3R	1 REVOLTA T-3635 1 REVOLTA T-3636	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 234 234
SURFACE LINEAR CANOPY - L165S (VOLTA / REVOLTA)		113535XX7	3 VOLTA T-3535 + 2 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Canopy for 5 volta / revolta pendants Sujeción para 5 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 364 364
ROUND MULTIPLE CANOPY - R70S (VOLTA / REVOLTA)		113535XX4	3 REVOLTA T-3635	FEATURES / CARACTERÍSTICAS Canopy for 3 volta / revolta pendants Sujeción para 3 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADOS 26 BLK 71 WH	EURO € 739 739

ROUND MULTIPLE CANOPY - R100S (VOLTA / REVOLTA)

113535XX5



5 VOLTA T-3535



FEATURES / CARACTERÍSTICAS

Canopy for 5 volta / revolta pendants
 Sujeción para 5 suspensiones volta / revolta
 Compatible with items:
 T-3535C / T-3536C / T-3635C / T-3636C

FINISHES / ACABADOS


26 BLK
 71 WH

EURO €

957
 957

ROUND MULTIPLE CANOPY - L40S (REVOLTA)

113635XX2



1 REVOLTA T-3535 + 1 REVOLTA T-3635



FEATURES / CARACTERÍSTICAS

Canopy for 2 volta / revolta pendants
 Sujeción para 2 suspensiones volta / revolta
 Compatible with items:
 T-3535C / T-3536C / T-3635C / T-3636C

FINISHES / ACABADOS


26 BLK
 71 WH

EURO €

177
 177

RECESSED MULTIPLE CANOPY - L40R (REVOLTA)

113635XX1R



1 REVOLTA T-3535 + 1 REVOLTA T-3635



FEATURES / CARACTERÍSTICAS

Recessed canopy for 2 pendants
 Sujeción empotrada para 2 suspensiones
 Compatible with items:
 T-3535C / T-3536C / T-3635C / T-3636C

FINISHES / ACABADOS



26 BLK
 71 WH

EURO €

162
 162

SURFACE CANOPY - R30 (CIRC)

113815XX3



FEATURES / CARACTERÍSTICAS

Canopy for 6 single pendants,
 Sujeción para 6 suspensiones
 Compatible with items: t-3810 / t-3810A / t-3811
 t-3811A / T-3815 / T-3815A T-3816 / T-3816A
 t-3820 / t-3821 / A-3830 / R30 compositions

FINISHES / ACABADOS



26 BLK
 74 WH
 91 ND

EURO €

199
 199
 199

RECESSED CANOPY - R12 (CIRC)

113820XX3



FEATURES / CARACTERÍSTICAS

Canopy for remote driver, 6 pendants max
 Sujeción para driver empotrado,
 6 suspensiones máximo
 Compatible with items: t-3810 / t-3811 T-3815 /
 T-3816 / t-3820 / t-3821 R12 compositions

FINISHES / ACABADOS



26 BLK
 74 WH
 91 ND

EURO €

88
 88
 88

SINGLE CANOPY (GADA)

113924XX0



FEATURES / CARACTERÍSTICAS

Surface canopy for 1 pendant
 Sujeción de superficie para 1 suspensión
 Compatible with items: T-3305S / T-3306S
 T-3307S / T-3714S / T-3715S / T-3716S / T-3915S
 T-3924S / T-3925S

FINISHES / ACABADOS



26 BLK
 74 WH

EURO €

73
 73

SURFACE LINEAR CANOPY - L92S (CUPOLINA)

113935XX2



FEATURES / CARACTERÍSTICAS

Canopy for 1 cupolina T-3935 pendant
 Sujeción para 1 suspensión Cupolina T-3935

FINISHES / ACABADOS



26 BLK
 71 WH

EURO €

181
 181

SURFACE LINEAR CANOPY (MOOD COMPOSITIONS)

114063XX3



FEATURES

Canopy for Mood compositions.
 Sujeción para composiciones Mood.

FINISHES

74 WH
 91 ND

EURO €

234
 234

**GENERAL TERMS OF SALE
CONDICIONES GENERALES DE VENTA**

GENERAL TERMS OF SALE

1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquiry about these projects and ask for pricing

5. Special Orders

All orders including non-standard products must be pre-paid at the confirmation of the order.

6. Terms

All past due invoices are subject to interest penalties at current legal rates.

7. Transportation

- Spain and Portugal:

Freight allowed on all orders equal or above 500€ net before taxes when the goods are shipped to the dealer or its client in case of projects. All others will be charged a 15€ fee with the exception of Canarias, Formentera, Ceuta, Melilla, Madeira, Azores and delivery to private addresses, where transportation costs will be calculated individually.

- International:

Freight due on all orders (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur during transit.

8. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing.

Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

9. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise.

Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging.

All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

10. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

11. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice.

If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

12. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

13. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

14. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

CONDICIONES GENERALES DE VENTA

1. Validez

Las ventas de nuestros productos están sujetas a las presentes condiciones generales, que prevalecen sobre cualquier otra condición de compra, a menos que exista un pacto formal escrito entre Estiluz y su cliente.

2. Precios

Los precios estipulados en esta tarifa son precios recomendados de venta al público y no incluyen impuestos. Bombillas no incluidas excepto en los productos en los que así se indica.

3. Registro de proyectos

Para garantizar la protección del trabajo realizado por distribuidores y agentes, todos los proyectos deben ser registrados en nuestras oficinas.

4. Descuentos comerciales

El descuento habitual de un distribuidor puede no aplicarse en caso de proyectos registrados por otro distribuidor o representante. El distribuidor deberá ponerse en contacto con Estiluz para obtener el precio neto de estos proyectos.

5. Pedidos especiales

Los pedidos con modificaciones del producto estándar deberán ser abonados en el momento de formalizar el pedido.

6. Pagos

La penalización por retraso en el pago aplicará la tasa de interés legal en vigor.

7. Transporte

- España y Portugal:

Estiluz se hará cargo de los portes en todos los pedidos por valor igual o superior a 450€ netos sin impuestos cuando el destino final sea el del distribuidor o el de su cliente en caso de proyectos. En pedidos inferiores a 450€ netos se facturará un importe de 15€ [excepciones: Canarias, Formentera, Ceuta, Melilla, Madeira, Azores y entregas a particulares, en las que el coste se calculará individualmente.].

- Internacional:

Todos los pedidos serán a portes debidos (FCA Barcelona o EXW Factory). Estiluz no se hace responsable de las incidencias que pudieran ocurrir durante el transporte.

8. Formalización de pedidos y anulación

Los pedidos deben ser formalizados por escrito, ya sea por correo, email o fax. Estiluz no se hará responsable de ningún error producido en pedidos que no hayan sido formalizados por escrito.

No consideramos anulado ningún pedido sin previo aviso por parte de nuestros clientes, anterior a la salida de la mercancía de nuestras instalaciones. Los pedidos de productos especiales y modificaciones no se pueden anular.

9. Reclamaciones i devoluciones

Se atenderán las que se reciban por escrito, en un período de 15 días des de la entrega de la mercancía.

No se admiten devoluciones sin nuestra autorización previa, reservándonos el derecho de rechazarlas si nos llegan a portes debidos y con embalaje insuficiente. Si el producto no está en perfectas condiciones, nos reservamos el derecho de facturar los gastos de gestión y reparación.

Aquellas devoluciones sin causa justificada o por motivos ajenos a Estiluz recibirán un recargo de gestión del 20%. Portes a cargo del cliente.

10. Entrega

Si la mercancía no llega al cliente en buenas condiciones o no coincide con el albarán de entrega, se deberá hacer constar en el albarán del transportista en el momento de la firma e informar a Estiluz en el transcurso máximo de los tres días siguientes mediante correo, email o fax.

11. Cláusula de reserva de la propiedad

La mercancía permanece propiedad de Estiluz hasta que haya sido pagada íntegramente. La negativa de pago puede derivar en la solicitud de devolución de los bienes por parte de la empresa.

En este caso, el comprador asumirá todos los costes y riesgos derivados del envío.

12. Garantía

Nuestros productos [excepto bombillas] tienen una garantía de dos años desde la fecha de entrega al cliente, ante cualquier defecto o error de funcionamiento, siempre y cuando se les haya dado un uso apropiado y se hayan respetado las condiciones de utilización marcadas en el aparato.

13. Modificaciones

Estiluz se reserva el derecho de modificar y/o anular los modelos de la presente tarifa.

14. Disputas

En caso de litigio, ambas partes se someterán a la jurisdicción de los tribunales de Barcelona.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n
E- 17860 St Joan de les Abadesses (Girona) Spain
T +34 972 720 125
estiluz@estiluz.com

www.estiluz.com

estiluz[®]